ELSEVIER

Volume 266 Numbers 1–2, 20 February 1998

Journal of
ALLOYS
AND COMPOUNDS

Contents

Letter

B2-phase formation and hydriding properties of $(Mg_{1-x}Al_x)Ni$ (x= 0~0.5) L1
S. Orimo, K. Ikeda, H. Fujii (Higashi-Hiroshima, Japan)

Physics

Magnetic properties and structural chemistry of the solid solution $La_5B_2C_6$–$Gd_5B_2C_6$ 1
E. Bidaud (Wien, Austria and Rennes, France), K. Hiebl (Wien, Austria), J. Bauer (Rennes, France), P. Rogl (Wien, Austria)

Novel ytterbium-zinc-silicides and germanides grown from zinc-flux 7
A. Grytsiv (Wien, Austria and Kiev, Ukraine), A. Leithe-Jasper, H. Flandorfer, P. Rogl, K. Hiebl (Wien, Austria), C. Godart (Meudon, France), T. Velikanova (Kiev, Ukraine)

Change in the itinerant-electron metamagnetic transition behavior by annealing in $Lu(Co_{1-x}Al_x)_2$ Laves phase compounds . . . 13
T. Yokoyama, H. Nakajima, H. Saito, K. Fukamichi (Sendai, Japan), H. Mitamura, T. Goto (Tokyo, Japan)

Crystal structure and properties of $YbAg_2In_4$ and $CaAg_2In_4$ compounds 17
L.V. Sysa, Ya.M. Kalychak, Ya.V. Galadzhun, V.I. Zaremba, L.G. Akselrud, R.V. Skolozdra (Lviv, Ukraine)

Structural anomaly in GdNiAl: a crystallographic, electric and magnetic investigation 22
F. Merlo, S. Cirafici, F. Canepa (Genova, Italy)

Physical properties of $ErFe_4Ge_2$ 26
F. Canepa, S. Cirafici, F. Merlo, M. Pani, L. Carpaneto, M.R. Cimberle (Genova, Italy)

Synthesis, crystal structure and properties of a lithium manganese nitride, $(Li, Mn)_2N$ 32
R. Niewa, F.J. DiSalvo, D.-K. Yang, D.B. Zax (Ithaca, NY, USA), H. Luo, W.B. Yelon (Columbia, MO, USA)

Crystal structure of Er_2Fe_{17} nitride 39
V.I. Voronin, A.V. Zinin, N.V. Kudrevatykh, A.N. Pirogov (Ekaterinburg, Russia)

Magnetic properties of $Pr_2Co_{17-x}Ga_x$ compounds 43
C. Zhang (Beijing, P.R. China and Amsterdam, The Netherlands), J.C.P. Klaasse, E. Brück, F.R. de Boer, K.H.J. Buschow (Amsterdam, The Netherlands)

^{161}Dy Slater–Pauling dependence of $Dy(Mn_xCo_{1-x})_2$ intermetallics 47
J. Pszczoła (Kraków, Poland), B. Gicala (Bielsko-Biała, Poland), J. Suwalski (Świerk-Otwock, Poland)

Antiferromagnetic order in the $ThCr_2Si_2$ type phosphides $CaCo_2P_2$ and $CeCo_2P_2$ 54
M. Reehuis (Münster and Berlin, Germany), W. Jeitschko, G. Kotzyba, B. Zimmer (Münster, Germany), X. Hu (Berlin, Germany)

Neutron diffraction study of the $La_{1-x}Y_xMn_2Si_2$ solid solution ($0 \leq x \leq 1$) 61
I. Ijjaali, G. Venturini, B. Malaman (Nancy, France), E. Ressouche (Grenoble, France)

Preparation, crystal structure and magnetic properties of the uranium nickel phosphides UNi_3P_2, UNi_4P_2, $U_6Ni_{20}P_{13}$ and $U_2Ni_{12}P_7$ 71
T. Ebel, J.H. Albering, W. Jeitschko (Münster, Germany)

Chemistry

Thermochemical studies on $BaMoO_4$(s) 77
Z. Singh, S. Dash, R. Prasad, V. Venugopal (Mumbai, India)

Oxidation kinetics of plutonium in air from 500 to 3500°C. Application to source terms for dispersal 81
J.M. Haschke, J.C. Martz (Los Alamos, NM, USA)

A mechanism for combustive heating and explosive dispersal of plutonium 90
J.C. Martz, J.M. Haschke (Los Alamos, NM, USA)

Elsevier Science S.A.

Orthorhombic to trigonal phase transition of perovskite-type $(Nd_x,Sm_{1-x})AlO_3$ 104
A. Yoshikawa, A. Saitow, H. Horiuchi (Tokyo, Japan), T. Shishido, T. Fukuda (Sendai, Japan)

Theoretical evaluation for thermodynamic stability of constituents of hydrogen storage alloy in concentrated alkaline solution at higher temperature 111
H. Senoh (Osaka, Japan), M. Ueda (Wakayama, Japan), H. Inoue, N. Furukawa, C. Iwakura (Osaka, Japan)

Synthesis of ultrafine $BaTiO_3$ particles from polymeric precursor: their structure and surface property 118
W.-S. Cho, E. Hamada (Tokyo, Japan)

Studies on the interaction between lanthanide ions and ligands in solid complexes of lanthanide hexacyanometalates. Part III. Synthesis and thermal properties of a series of lanthanide hexacyanocobaltate(III) *n*-methanols 123
Y. Yukawa, S. Shirotori, K. Minagawa, Y. Masuda (Niigata, Japan)

Low temperature powder synthesis of $LaAlO_3$ through in situ polymerization route utilizing citric acid and ethylene glycol . . 129
M. Kakihana, T. Okubo (Yokohama, Japan)

On the thermodynamics of the rhombohedral-cubic phase transition of thulium(III)oxide fluoride 134
T. Petzel, J.-H. Müller, B. Hormann (Holstenhofweg, Germany)

Hf_5CoAs_3, the first Hf rich hafnium cobalt arsenide: intercalation of Co vs. a Co/As exchange 139
H. Kleinke (Marburg, Germany), H.F. Franzen (Ames, IA, USA)

Raman spectroscopic study of molten $ZnBr_2$–MBr (M=Li, Na) mixtures 145
K. Fukushima, H. Yokota, H. Ibaraki (Chiba, Japan), T. Nakazawa, K. Noda (Ibaraki, Japan), Y. Iwadate (Chiba, Japan)

Different oxidation reactions of ilmenite induced by high energy ball milling 150
Y. Chen (Canberra, Australia)

Crystal structure of a new compound Bi_2NdNi 155
L. Zeng, H.F. Franzen (Ames, IA, USA)

Preparation and crystal structure of quaternary silicide carbides with $Dy_2Fe_2Si_2C$ type structure 158
T. Hüfken, A.M. Witte, W. Jeitschko (Münster, Germany)

Metallurgy

Phase diagram of the Co-rich Co–Pr–Nd system at 500 °C 164
Z. Yinghong, Y. Jialin, Z. Huaiying, O. Xiangli (Guangxi, P.R. China)

The uranium–vanadium equilibrium phase diagram 167
M.R. Staker (Aberdeen Proving Ground, MD, USA)

Experimental verification of the formal nucleation and growth rate equations – initial UH_3 development on uranium surface . . 180
M. Brill, J. Bloch, M.H. Mintz (Beer Sheva, Israel)

Calorimetric determination of standard molar enthalpies of formation of gadolinium silicides and germanides 186
N.I. Usenko, M.I. Ivanov, V.V. Berezutski, R.I. Polotska (Kyiv, Ukraine)

Phase equilibria and Heusler phase stability in the Cu-rich portion of the Cu–Al–Mn system 191
R. Kainuma, N. Satoh, X.J. Liu, I. Ohnuma, K. Ishida (Sendai, Japan)

Effect of pressure on the composition and superconducting T_c value of NbN prepared by combustion synthesis 201
V. Buscaglia, F. Caracciolo, M. Ferretti, M. Minguzzi, R. Musenich (Genoa, Italy)

Structural changes in Co/Zr multilayers during annealing below the crystallisation temperature 207
A. Kupsch, D.C. Meyer, K. Richter, P. Paufler (Dresden, Germany)

Heat capacity of liquid La–Mg–Ni alloys 216
J. Schmid, F. Sommer (Stuttgart, Germany)

Standard enthalpies of formation of some alloys formed between Group IV elements and Group VIII elements, determined by high-temperature direct synthesis calorimetry. I. Alloys of (Ti, Zr, Hf) with (Rh, Pd, Pt) 224
Q. Guo, O.J. Kleppa (Chicago, IL, USA)

X-ray and neutron scattering study of the Nb-O solid solutions 230
S. Danilkin (Obninsk, Russia), H. Fuess (Darmstadt, Germany), E. Jadrowski (Dubna, Russia), T. Wieder, H. Wipf (Darmstadt, Germany)

An investigation of mechanically alloyed Fe–Al 234
D.A. Eelman, J.R. Dahn, G.R. MacKay, R.A. Dunlap (Nova Scotia, Canada)

Thermodynamics of the [Rh–In] system 241
P. Anres, P. Fossati, M. Gaune-Escard, J.P. Bros (Marseille, France)

Solid state deoxidation of niobium by calcium and magnesium 247
S. Liu, R.O. Suzuki, K. Ono (Kyoto, Japan)

Influence of the microstructure on the desorption kinetics of single- and multiphase LaNiFe alloys 255
N. Mommer, M. Hirscher, F. Cuevas, H. Kronmüller (Stuttgart, Germany)

Materials Science

Preparation of anisotropic NdFeB magnets with different Nd contents by hot deformation (die-upsetting) using hot-pressed HDDR powders 260
S. Liesert (Dresden, Germany and Grenoble, France), A. Kirchner, W. Grünberger, A. Handstein (Dresden, Germany), P. De Rango, D. Fruchart (Grenoble, France), L. Schultz, K.-H. Müller (Dresden, Germany)

Degradation behavior of Cu-coated Ti–Zr–V–Mn–Ni metal hydride electrodes 266
J.-H. Jung, H.-H. Lee, D.-M. Kim, K.-J. Jang, J.-Y. Lee (Taejon, South Korea)

Effect of Cu powder as compacting material on the discharge characteristics of negative electrodes in Ni–MH batteries 271
J.-H. Jung, S.-M. Lee, D.-M. Kim, K.-J. Jang, J.-Y. Lee (Taejon, South Korea)

Room-temperature phases observed in $Ti_{53-x}Ni_{47}Zr_x$ high-temperature shape memory alloys 276
S.F. Hsieh, S.K. Wu (Taiwan, Republic of China)

Synthesis of alumina-nitride nanocomposites by successive reduction-nitridation in mechanochemically activated reactions . . . 283
T. Puclin, W.A. Kaczmarek (Canberra, Australia)

Oxidation study of bulk and powdered $Sm_2(Fe_{0.5}Co_{0.5})_{17}N_x$ (x=0, 2.9) compounds 293
V. De Pauw, D. Lemarchand, J.M. Saiter, C. Devallencourt (Mont-Saint-Aignan, France)

Investigations on $ML(NiCoMnTi)_5$ alloys prepared with different solidification rates 300
C. Li, X. Wang, C. Wang (Beijing, P.R. China)

Increase of specific surface area of metal hydrides by lixiviation 307
J. Huot, S. Bouaricha, S. Boily, J.-P. Dodelet, D. Guay, R. Schulz (Varennes, Canada)

Hydrogenation of Pd-coated samples of the Ti–Zr-based icosahedral phase and related crystalline phases 311
J.Y. Kim, P.C. Gibbons, K.F. Kelton (St. Louis, MO, USA)

Synthesis of Sm_2Fe_{17}-carbonitrides by mechanical grinding Sm_2Fe_{17} with pyrazine 318
J. Jakubowicz, M. Jurczyk (Poznañ, Poland)

Bulk and surface properties of crystalline and amorphous $Zr_{36}(V_{0.33}Ni_{0.66})_{64}$ alloy as active electrode material 321
A. Züttel, D. Chartouni, C. Nützenadel, K. Gross, L. Schlapbach (Fribourg, Switzerland)

Author Index of Volume 266 327

Subject Index of Volume 266 329